



Commercial Quotation 03 January -2008

GRANULATOR KOMPASS 800/800 (CS)

Full protection at operation - Total stop before various accesses to the machine - Full automated control - Very strong frame - Strengthened design of the rotor and the cutting chamber - Easy change of the screen - Hydraulic unit for removing of the hopper - **Preventive Clutch between the shaft and the pulley for the rubber belts from the motor drive - Coated with Zinc before the painting** - Prolong term for a life of the knives before the changing for sharpening - Adjustable knives - A jig where the rotor knives can be pre-set outside of the machine so that you can change them quickly without adjusting them in the machine.

Purpose	Dry Grinding of: All kind of whole plastic drums and containers with suitable sizes for this size of granulator.
Motor	55 kW / 1'500 rpm or 1'750 rpm / 50 & 60 Hz / IP54/IP55 / 400\440/460/480 V Delivered from Italy or Germany
Rotor	Staggered / 2 sections X 3 rows of fly knives on each section Cutting Cylinder: 800 mm X 800 mm
Knives	6 pcs. Fly knives X 400 mm 4 pcs. Bed knives X 400 mm (slant)
Steel	X153CrMoV12 = D2 = 1.2379
Screens holes	12 mm - 30 mm
Bearings	SKF
Motor control	Will be manufactured with units from "Square D" - the US or "Telemecanique"- France
Price Ex Works	
Terms of Payment	30 % with the order 70 % when the machines is ready for a shipment (Before Shipment)
Way of Payment	By Free Bank Remittance
Manufacturing time	About 60 working days
Validity	
Warranty	12 months from the date of delivery (the warranty doesn't include the cutting instruments, screen and the servicing). If it is needed to be sent spare parts the warranty terms cover the cost of the spare parts only Ex Works (the cost of the transport of the spare parts is not included in the warranty terms).

DISCHARGE PNEUMATIC SYSTEM (DPS) (CS)

Purpose	The DPS contain: fan - working pipes - cyclone - cyclone stand - dust collection system and the stand for this system
Motor	7.5 kW / 1'500 rpm or 1'750 rpm / 50 & 60 Hz / IP54 / 400\440/460/480 V
The cost of the freight DDU to door	The equipment will be sent together with the granulator.
Way of Payment	By Free Bank Remittance
Manufacturing time	About 60 working days
Validity	
Warranty	12 months from the date of delivery (the warranty do not include the servicing).If it is needed to be sent spare parts the warranty terms cover the cost of the spare parts only Ex Works (the cost of the transport of the spare parts is not included in the warranty terms).



Desislava 20 Granulators Company

If you require any further information, please contact us and we will be pleased to supply it.

We look forward to hearing from you,

With Regards,

Konstantin Tomov,
President of Desislava 20 Granulators Company

ADDRESS:

9 Zlatovrah Str.
1164 Sofia, Bulgaria
tel./fax: 359 2 870 3295
mobile: 359 896 872 859

URL:

www.desislava20granulators.com
http://www.geocities.com/desislava20/demolition_recycling.html
<http://www.geocities.com/desislava20/Movie800.wmv>
<http://www.geocities.com/desislava20/500all800.wmv>
<http://www.geocities.com/desislava20/RubberBalesGranulator.pdf>
<http://www.geocities.com/desislava20/PPBags1000kgperhour.pdf>
<http://www.geocities.com/desislava20/Cablegrindingequipment.pdf>
<http://www.geocities.com/desislava20/TireGrinding2000kgperhour.doc>

E-mails:

info@desislava20granulators.com
support@desislava20granulators.com
desislava20@fastbg.net
ktomov@usa.com

Skype:

konstantint9047

Desislava 20 Granulators Company wishes you successful business!